Network Working Group Request for Comments: 3534 Category: Standards Track L. Walleij The Ogg Vorbis Community May 2003

The application/ogg Media Type

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The Internet Society (2003). All Rights Reserved.

Abstract

The Ogg Bitstream Format aims at becoming a general, freely-available standard for transporting multimedia content across computing platforms and networks. The intention of this document is to define the MIME media type application/ogg to refer to this kind of content when transported across the Internet. It is the intention of the Ogg Bitstream Format developers that it be usable without intellectual property concerns.

Conventions used in this Document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [2].

1. The Ogg Bitstream Format

The Ogg Bitstream format has been developed as a part of a larger project aimed at creating a set of components for the coding and decoding of multimedia content (codecs) which are to be freely available and freely re-implementable both in software and in hardware for the computing community at large, including the Internet community.

Raw packets from these codecs may be used directly by transport mechanisms that provide their own framing and packet-separation mechanisms (such as UDP datagrams).

Walleij

Standards Track

[Page 1]

One such framing and content-separation mechanism is the real-time transport protocol (RTP). RTP allows the streaming of synchronous lossy data for broadcasting and similar purposes. If this function is desired then a separate RTP wrapping mechanism should be used. A wrapping mechanism is currently under development.

For stream based storage (such as files) and transport (such as TCP streams or pipes), Ogg codecs use the Ogg Bitstream Format to provide framing/sync, sync recapture after error, landmarks during seeking, and enough information to properly separate data back into packets at the original packet boundaries without relying on decoding to find packet boundaries. The application/ogg MIME type refers to this kind of bitstreams, when no further knowledge of the bitstream content exists.

The bitstream format in itself is documented in [1].

2. Registration Information

To: ietf-types@iana.org

Subject: Registration of MIME media type application/ogg

MIME media type name: application

MIME subtype name: ogg

Required parameters: none

Optional parameters: none

Encoding Considerations:

The Ogg bitstream format is binary data, and must be encoded for non-binary transport; the Base64 encoding is suitable for Email. Binary encoding could also be used.

Security Considerations:

As the Ogg bitstream file is a container format and only a carrier of content (such as Vorbis audio) with a very rigid definition (see [1]), this format in itself is not more vulnerable than any other content framing mechanism. The main security consideration for the receiving application is to ensure that manipulated packages can not cause buffer overflows and the like. It is possible to encapsulate even executable content in the bitstream, so for such uses additional security considerations must be taken.

Walleij

Standards Track

[Page 2]

Ogg bitstream files are not signed or encrypted using any applicable encryption schemes. External security mechanisms must be added if content confidentiality and authenticity is to be achieved.

Interoperability considerations:

The Ogg bitstream format has proved to be widely implementable across different computing platforms. A broadly portable reference implementation is available under a BSD license.

The Ogg bitstream format is not patented and can be implemented by third parties without patent considerations.

Published specification:

See [1].

Applications which use this media type:

Any application that implements the specification will be able to encode or decode Ogg bitstream files. Specifically, the format is supposed to be used by subcodecs that implement, for example, Vorbis audio.

Additional information:

Magic number(s):

In Ogg bitstream files, the first four bytes are $0x4f \ 0x67 \ 0x53$ corresponding to the string "OggS".

File extension: .ogg

Macintosh File Type Code(s): OggS

Object Identifier(s) or OID(s): none

Person & email address to contact for further information:

Questions about this proposal should be directed to Linus Walleij <triad@df.lth.se>. Technical questions about the Ogg bitstream standard may be asked on the mailing lists for the developer community. <http://www.xiph.org/archives/>

Intended usage: COMMON

Walleij

Standards Track

[Page 3]

Author/Change controller:

This document was written by Linus Walleij <triad@df.lth.se>. Changes to this document will either be handled by him, a representative of the Xiph.org, or the associated development communities.

The Ogg bitstream format is controlled by the Xiph.org and the respective development communities.

3. Security Considerations

Security considerations are discussed in the security considerations clause of the MIME registration in section 2.

- 4. Normative References
 - Pfeiffer, S., "The Ogg encapsulation format version 0", RFC 3533, May 2003.
 - [2] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997.
- 5. Intellectual Property Statement

The IETF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to rights in standards-track and standards-related documentation can be found in BCP-11. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification can be obtained from the IETF Secretariat.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this standard. Please address the information to the IETF Executive Director.

Walleij

Standards Track

[Page 4]

6. Author's Address

Linus Walleij The Ogg Vorbis Community Master Olofs Vag 24 Lund 224 66 SE Phone: +46 703 193678

EMail: triad@df.lth.se URI: http://www.xiph.org/

Walleij

Standards Track

[Page 5]

7. Full Copyright Statement

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.

Walleij

Standards Track

[Page 6]